

«ПРОФЕСИОНАЛНА БИОГРАФИЯ»

на

Деница Руменова Стайкова

Звание: Доктор

Длъжност: Главен Асистент

Публикации:

1. "Cosmology from multimeasure multifield model", Denitsa Staicova, Michail Stoilov, International Journal of Modern Physics A, Vol. 34 (2019) 1950099, i
2. "The multi-measure cosmological model and its peculiar effective potential ", Denitsa Staicova, AIP Conference Proceedings 2075, 100003 (2019) "10th Jubilee International Conference of the Balkan Physical Union"
3. "Cosmological solutions from multi-measure model with inflaton field, Denitsa Staicova, Michail Stoilov, arXiv:1806.08199
4. "Cosmological solutions from models with unified dark energy and dark matter and with inflaton field ", Denitsa Staicova, Michail Stoilov, Dobrev V. (eds) Quantum Theory and Symmetries with Lie Theory and Its Applications in Physics Vol. 2. LT-XII/QTS-X 2017. Springer Proceedings in Mathematics & Statistics, vol 255, i
5. "Cosmological aspects of a unified dark energy and dust dark matter model" Denitsa Staicova, Michail Stoilov, Mod. Phys. Lett. A, Vol. 32, No. 1 (2017) 1750006 , ([arXiv:1610.08368](https://arxiv.org/abs/1610.08368)) i
6. "The Heun functions and their applications in astrophysics", Denitsa Staicova, Plamen Fiziev, Proceedings of the XI. International Workshop LIE THEORY AND ITS APPLICATIONS IN PHYSICS (2015) ([arXiv:1601.04021](https://arxiv.org/abs/1601.04021)) i
7. "Numerical stability of the electromagnetic quasinormal and quasibound modes of Kerr black holes" , Denitsa R. Staicova , Plamen P. Fiziev, Bulg. Astr. J., **23** (2015) ([arXiv:1511.09081](https://arxiv.org/abs/1511.09081))
8. "New results for electromagnetic quasinormal and quasibound modes of Kerr black holes " Denitsa R. Staicova, Plamen P. Fiziev Astrophysics and Space Science, June 2015, 358:10, ([arXiv:1412.4111](https://arxiv.org/abs/1412.4111)) i
9. Solving systems of transcendental equations involving the Heun functions, P. Fiziev, D. Staicova arXiv:1201.0017,), American Journal of Computational Mathematics Vol. **02** : 02, pp.95 (2012)
* a shortened version published as proceeding in: AIP Conference Proceedings, Volume 1458, pp. 395-398 (2012)
10. New results for electromagnetic quasinormal modes of black holes, D. Staicova, P. Fiziev, arXiv:1112.0310, internal report
11. Application of the confluent Heun functions for finding the quasinormal modes of nonrotating black holes, P. Fiziev, D. Staicova (arXiv:1109.1532), Phys. Rev. D **84**, 127502 (2011) i
12. Two-dimensional generalization of the Muller root-finding algorithm and its applications, P. Fiziev, D. R. Staicova, arXiv:1005.5375, Internal Report, Sofia University, 2011
13. The Spectrum of Electromagnetic Jets from Kerr Black Holes and Naked Singularities in the Teukolski Perturbation Theory, D. Staicova, P. Fiziev (arXiv:1002.0480), Astrophys Space Sci (2011) **332**: 385-401 i
14. Toward a New Model of the Central Engine of GRB, P. Fiziev, D. Staicova (arXiv:0902.2411), Bulgarian Astronomical Journal, **11**, pp. 13-21, 2009
15. A new model of the Central Engine of GRB and the Cosmic Jets, P. Fiziev, D. Staicova (arXiv:0902.2408), Bulgarian Astronomical Journal, **11**, pp. 3-11, 2009

Независими цитати

A new model of the Central Engine of GRB and the Cosmic Jets

3 independent citations:

1. B.C. Da Cunha, F. Novaes, Kerr scattering coefficients via isomonodromy, *Journal of High Energy Physics*, 11(1): 1-17, (2015)
2. B.C. da Cunha, F. Novaes, The isomonodromy method for black hole scattering, *AIP Conf. Proc.* 1693, 050003 (2015)
3. EA León, JA Nieto, E Ríos, Hyperbolic trajectories around Black Holes, arXiv:1701.02340 [gr-qc], (2017)

The Spectrum of Electromagnetic Jets from Kerr Black Holes and Naked Singularities in the Teukolsky Perturbation Theory, *Astrophys Space Sci* (2011) 332: 385-401 , (2010)

4 independent citation:

1. D. Pugliese, H. Quevedo, and R. Ruffini, "Equatorial circular motion in Kerr spacetime", *Phys. Rev. D* 84, 044030 (2011)
2. M. Hortascu "Heun functions and their uses in physics", *Mathematical Physics: Proceedings of the 13th Regional Conference, Antalya*; pp23-39, World Scientific (2013)
<https://arxiv.org/abs/1101.0471>
http://www.worldscientific.com/doi/abs/10.1142/9789814417532_0002
- #2. Peng, Z. Y. Et al., The Temporal and Spectral Characteristics of "Fast Rise and Exponential Decay" Gamma-ray Burst Pulses, *The Astrophysical Journal*, Volume 718, Issue 2, pp. 894-898 (2010), DOI:[10.1088/0004-637X/718/2/894](https://doi.org/10.1088/0004-637X/718/2/894), (2010) – ne
3. Hortaçsu M., "Heun Functions and Some of Their Applications in Physics", *Advances in High Energy Physics*, Vol. 2018, Article ID 8621573,
<https://www.hindawi.com/journals/ahep/2018/8621573/abs/>
4. "Antiquantization of the Double Confluent Heun Equation. The Teukolsky Equation", AA Salatic, SY Slavyanov - Нелинейная динамика, 2019, <http://www.mathnet.ru/rus/nd642>

Two-dimensional generalization of the Muller root-finding algorithm and its applications, [arXiv:1002.0480](https://arxiv.org/abs/1002.0480), (2010)

4 independent citations:

1. M. Cadoni, P. Pani, "Holography of charged dilatonic black branes at finite temperature" - *JHEP* 1104:049, (2011)
2. Pani, P. "Applications of black hole perturbation theory." *The European Physical Journal Plus* 127.6 : 1-52, (2012)
3. Neville I. Robinson, Andrew J. Love, Hidden channels of groundwater flow in Tóthian drainage basins, *Advances in Water Resources* 62:71–78 · December (2013)
4. Applications of perturbation theory in black hole physics Paolo Pani (Cagliari U.). Jan 2011. 238 pp., <http://inspirehep.net/record/1220948>

Solving systems of transcendental equations involving the Heun functions, arXiv:1201.0017, American Journal of Computational Mathematics Vol. 02 : 02, pp.95 (2012)

or as

TOWARDS NEW PARADIGMS: PROCEEDING OF THE SPANISH RELATIVITY MEETING 2011. AIP Conference Proceedings, Volume 1458, pp. 395-398 (2012).

13 независим цитати:

1. M.A. Dariescu, C. Dariescu, “*Approximative Analytic Study of Fermions in Magnetar’s Crust; Ultra-relativistic Plane Waves, Heun and Mathieu Solutions and Beyond*”, Astrophysics and Space Science, 2012 – Springer, 10.1007/s10509-012-1101-y. **341**, I. 2, pp 429-435 (2012)
2. M.A. Dariescu et al. , „*Analytic Study of Fermions in Graphene; Heun Functions and Beyond*“, Romanian Journal of Physics, **58**, 7-8 (2013)
3. C. Dariescu, M-A Dariescu, C. Cretu, „*The Quantum Treatment of the 5D-Warped Friedmann–Robertson–Walker Universe in Schrödinger Picture*“, Int J Theor Phys (2013) **52**:1345–1353, DOI 10.1007/s10773-012-1450-x (2013)
4. M. Hortascu "Heun functions and their uses in physics", Mathematical Physics: Proceedings of the 13th Regional Conference, Antalya; pp23-39, World Scientific (2013)
6. P.Pani, „*Advanced Methods in Black-Hole Perturbation Theory*“ International Journal of Modern Physics A, Vol. 28 (2013) 1340018 (2013)
6. Motsepe Kganya A, Shatalov Michael. Y and Joubert Stephan V, „*Application Of Heun Functions To Vibratory Rotor Gyroscope, Their Numerical Computation And Accuracy Estimation*“, Applied Mathematics and Computation, **239**, 47-55, (2014)
8. Choun, Yoon Seok, „*Complete polynomials using 3-term and reversible 3-term recurrence formulas (3TRF and R3TRF)*“, arXiv:1405.3610, (2014)
8. A.E. Sitnitsky, „*Exact solution of Smoluchowski's equation for reorientational motion in Maier-Saupe potential*“, Physica A: Statistical Mechanics and its Applications **419**, 373-384, (2015)
9. Piotr Bizoń, Michał Kahl , „*Wave maps on a wormhole*“, arXiv:1412.5371 [gr-qc], Physical Review D **91**, 065003 (2015)
10. A.E. Sitnitsky, „*Probability distribution function for reorientations in Maier-Saupe potential*“, arXiv:1509.03439, (2015)
11. Yoon Seok Choun, „*The violation of uniqueness theorems for power series solutions by applying the Poincare-Perron theorem*“, arXiv:1605.08960 [math.CA], (2016)
12. A.E. Sitnitsky „*Exactly solvable Schrödinger equation with double-well potential for hydrogen bond*“, Chemical Physics Letters, Volume 676, 16 May 2017, Pages 169–173, (2017)
13. A.E. Sitnitsky, „*Analytic description of inversion vibrational mode for ammonia molecule*“, arXiv:1707.08432 [physics.chem-ph], Vibrational Spectroscopy, 2017
14. Federico M. Pont, Omar Osenda, Pablo Serra, Exact wave functions and entropies of the one dimensional Regularized Calogero model, arXiv:1709.06374 [quant-ph]
15. [A.E. Sitnitsky](#), „*Exact solution of Schrödinger equation with symmetric double-well potential versus WKB: accuracy for ground state splitting*“, arXiv:1801.03733 [physics.chem-ph]
16. A.E. Sitnitsky, "Analytic calculation of ground state splitting in symmetric double well potential", Computational and Theoretical Chemistry, Vol. 1138, 15, 2018, Pages 15-22, <https://www.sciencedirect.com/science/article/pii/S2210271X18302093>
17. S Crespo, M Fasoldini, C Klein, N Stoilov, "Multidomain spectral method for the Gauss hypergeometric function", Numerical Algorithms, 2018, arXiv:1809.10422 [math.NA], <https://arxiv.org/abs/1809.10422>

Application of the confluent Heun functions for finding the quasinormal modes of nonrotating black holes, Physical Review D 84 (12), 127502

19 независими цитати::

1. M.A. Dariescu, C. Dariescu, “*Approximative Analytic Study of Fermions in Magnetar’s Crust; Ultra-relativistic Plane Waves, Heun and Mathieu Solutions and Beyond*”, Astrophysics and Space Science– Springer, 10.1007/s10509-012-1101-y. **341**, I. 2, pp 429-435 (2012)
2. M. Hortascu, "Heun functions and their uses in physics", Mathematical Physics: Proceedings of the 13th Regional Conference, Antalya; pp23-39, World Scientific (2013)
3. H. Hassanabadi, S. Zarrinkamar, A. A. Rajabi “*Could we treat the Regge-Wheeler equation in an easier way?*” The European Physical Journal Plus, June, 128:61, (2013)
4. H. R. Christiansen, M. S. Cunha “*Solutions to position-dependent mass quantum mechanics for a new class of hyperbolic potentials*”, J.Math.Phys. 54, 122108, (2013)

5. M. S. Cunha, H. R. Christiansen "Analytic results in the position-dependent mass Schrodinger problem", Commun. Theor. Phys. vol. 60, No. 6, pp. 642-650, (2013)
6. V. Balan, A.M. Manukyan, E.M. Ovsiyuk, V.M. Red'kov, O.V. Veko,. Confluent Heun functions and the Coulomb problem for spin 1/2 particle in Minkowski space, arXiv:1410.8300 [math-ph], (2014)
7. H. R. Christiansen, M. S. Cunha, „Energy eigenfunctions for position-dependent mass particles in a new class of molecular hamiltonians“, J. Math. Phys. 55, 092102 (2014)
8. C. Dariescu, M.A. Dariescu, „Quantum Analysis of $k=-1$ Robertson–Walker Universe“, Foundations of Physics, 2015 – Springer (2015), 10.1007/s10701-015-9922-5, (2015)
9. N. Saad, „On the solvability of confluent Heun equation and associated orthogonal polynomials“, arXiv:1509.00090 [math-ph], (2015)
10. F. F Gray, M Visser , Greybody factors for Schwarzschild black holes: Path-ordered exponentials and product integrals, *Universe* **2018**, 4(9), 93; <https://doi.org/10.3390/universe4090093> , arXiv:1512.05018, (2015)
11. Vieira H.S., Bezerra V.B., „Application of the confluent Heun functions to study the physics of black holes: resonant frequencies and scattering of scalar waves“, arXiv:1603.02233, Annals of Physics, (2016)
12. Vieira H.S., „Analytic solutions in the acoustic black hole analogue of the conical Kerr metric: massless scalar fields and Hawking-Unruh radiation“, Chinese physics C., Volume 41, Number 4 , arXiv:1607.02750, (2016)
13. Cook G.B., Zalutskiy M., „Modes of the Kerr geometry with purely imaginary frequencies“, arXiv:1607.07406, Phys. Rev. D **94**, 104074, 2016, [10.1103/PhysRevD.94.104074](https://doi.org/10.1103/PhysRevD.94.104074), (2016)
14. Wen-Du Li, Yu-Zhu Chen, Wu-Sheng Dai “Exact solution of scalar field in Schwarzschild spacetime: bound state and scattering state“, arXiv:1612.02644 [gr-qc] (2016)
15. T Birkandan et al., „Symbolic and Numerical Analysis in General Relativity with Open Source Computer Algebra Systems“, Gen Relativ Gravit (2019) 51: 4. <https://doi.org/10.1007/s10714-018-2486-x>, arXiv:1703.09738 [gr-qc], (2017)
16. Bezerra, V. B et al, „Exact solutions and phenomenological constraints from massive scalars in a Gravity's Rainbow spacetime“, arXiv:1704.01211, (2017), *Phys.Rev. D* **96** (2017) no.2, 024018
17. Vieira, H. S.; Bezerra, V. B., „Confluent Heun functions and the physics of black holes: Resonant frequencies, Hawking radiation and scattering of scalar waves“, Annals of Physics, Volume 373, p. 28-42., DOI: [10.1016/j.aop.2016.06.016](https://doi.org/10.1016/j.aop.2016.06.016), (2016)
18. Vieira, H. S.; Bezerra, V. B., „Quantum effects in Reissner-Nordstrom black hole surrounded by magnetic field: the scalar wave case“, arXiv:1603.02240, (2016)
19. Federico M. Pont, Omar Osenda, Pablo Serra, Exact wave functions and entropies of the one dimensional Regularized Calogero model, arXiv:1709.06374 [quant-ph]
20. Tigran Ishkhanya, Tigran Shahverdyan, Artur Ishkhanyan, “Expansions of the solutions of the general Heun equation governed by two-term recurrence relations for coefficients“, [arXiv:1403.7863](https://arxiv.org/abs/1403.7863) [math.CA], Advances in High Energy Physics Volume 2018, Article ID 4263678, <https://doi.org/10.1155/2018/4263678>
21. Federico M. Pont, Omar Osenda and Pablo Serra, “Quasi-exact solvability and entropies of the one dimensional regularised Calogero model“ *Journal of Physics A: Mathematical and Theoretical*, <http://iopscience.iop.org/article/10.1088/1751-8121/aab85e/meta,2018>
22. TA Ishkhanyan, AM Ishkhanyan, “Generalized confluent hypergeometric solutions of the Heun confluent equation“, https://www.researchgate.net/profile/Artur_Ishkhanyan/publication/323995930_Generalized_confluent_hypergeometric_solutions_of_the_Heun_confluent_equation/links/5ac150150f7e9bfc045da6f6/Generalized-confluent-hypergeometric-solutions-of-the-Heun-confluent-equation.pdf
23. RL Hall, N Saad, KR Bryenton. "The d-dimensional softcore Coulomb potential and the generalized confluent Heun equation", Journal of Mathematical Physics 59, 102105 (2018), <https://aip.scitation.org/doi/abs/10.1063/1.5035357>
24. FM Pont, O Osenda, P Serra, „Quasi-exact solvability and entropies of the one-dimensional

- regularised Calogero model“, Journal of Physics A: Mathematical and Theoretical, Volume 51, Number 19, <http://iopscience.iop.org/article/10.1088/1751-8121/aab85e/meta>
25. TA Ishkhanyan, AM Ishkhanyan, „Hypergeometric expansions of the general Heun function governed by two-term recurrence relations“, arXiv:1805.06519
26. WD Li, YZ Chen, WS Dai, „Scalar scattering in Schwarzschild spacetime: Integral equation method“, Physics Letters B Volume 786, 10 November 2018, Pages 300-304, <https://doi.org/10.1016/j.physletb.2018.10.010>
27. M Hortaçsu, "Heun Functions and Some of Their Applications in Physics", Advances in High Energy Physics Volume 2018, Article ID 8621573, <https://doi.org/10.1155/2018/8621573>
28. OV Motygin, "On evaluation of the confluent Heun functions", <https://arxiv.org/abs/1804.01007>
29. Scattering state and bound state of scalar field in Schwarzschild spacetime: Exact solution WD Li, YZ Chen, WS Dai - Annals of Physics, 2019 - Elsevier
30. YY Liu, WD Li, WS Dai, „Scalar scattering in Reissner-Nordström spacetime“, arXiv:1902.01054, 2019
31. T Birkandan, C Güzelgün, E Şirin, MC Uslu, „Symbolic and numerical analysis in general relativity with open source computer algebra systems“, <https://arxiv.org/abs/1703.09738>, Gen Relativ Gravit (2019) 51: 4. <https://doi.org/10.1007/s10714-018-2486-x>
32. Non-commutativity and non-inertial effects on the Dirac oscillator in a cosmic string space-time RR Cuzinatto, M de Montigny, PJ Pompeia, Gravit (2019) 51: 107. <https://doi.org/10.1007/s10714-019-2593-3>
33. Alguns resultados acerca de campos escalares em buracos negros, cosmologia quântica e flutuações quânticas da geometria, HS Vieira - 2018 - repositorio.ufpb.br

New results for electromagnetic quasinormal and quasibound modes of Kerr black holes

Denitsa R. Staicova, Plamen P. Fiziev Astrophysics and Space Science, June 2015, 358:10, ([arXiv:1412.4111](https://arxiv.org/abs/1412.4111)), (2015)

1 независим цитат

1. M. Hortaçsu "Heun functions and their uses in physics", Mathematical Physics: Proceedings of the 13th Regional Conference, Antalya; pp23-39, World Scientific (2013)

<https://arxiv.org/abs/1101.0471>

http://www.worldscientific.com/doi/abs/10.1142/9789814417532_0002

2. Hortaçsu M., "Heun Functions and Some of Their Applications in Physics", Advances in High Energy Physics, Vol. 2018, Article ID 8621573,

<https://www.hindawi.com/journals/ahep/2018/8621573/abs/>

New results for electromagnetic quasinormal modes of black holes, D. Staicova, P. Fiziev, arXiv:1112.0310, internal report

1 независим цитат

1. Quasinormal-mode spectrum of Kerr black holes and its geometric interpretation, Yang, Huan et al. , Physical Review D, vol. 86, Issue 10, id. 104006, 2012, DOI: [10.1103/PhysRevD.86.104006](https://doi.org/10.1103/PhysRevD.86.104006), (2012)

Публикувани доклади на конференции:

1. **P. Fiziev, and D. Staicova, "Towards New Paradigms : Proceeding of the Spanish Relativity Meeting 2011"**, Ed. by I.B. Jimenez, J.S.R. Cembrano s, A. Dobado, et. Al, Book Series: AIP Conference Proceedings, Vol 1458, pp. 395-398, (2012)

2. **D. Staicova and P. Fiziev, „The Heun functions and their applications in astrophysics“**, the Proceedings of the XI. International Workshop LIE THEORY AND ITS APPLICATIONS IN PHYSICS (2015), Springer Proceedings in Mathematics & Statistics book series (PROMS, volume

191), DOI: 10.1007/978-981-10-2636-2_20, (2016)

1 независим цитат:

Пелих, В. О., and Ю. В. Тайстра. "Клас загальних розв'язків рівнянь Максвелла у просторі Керра." *Математичні методи та фізико-механічні поля* 59.1 (2017): 48-57.

A Class of General Solutions of the Maxwell Equations in the Kerr Space-Time, *J.Math.Sci.* 229 (2018) no.2, 162-173

Zap.Nauchn.Semin. 59 (2016) no.1, 48-57, DOI: [10.1007/s10958-018-3668-5](https://doi.org/10.1007/s10958-018-3668-5), journals.iapmm.lviv.ua/ojs/index.php/MMPMF/article/download/2126/2511

Analytical and numerical methods for studying astrophysical objects

The violation of uniqueness theorems for power series solutions by applying the Poincare-Perron theorem, [Yoon Seok Choun](#), arXiv:1605.08960 [math.CA]

[The Heun functions and their applications in astrophysics](#)

1. Клас загальних розв'язків рівнянь Максвелла у просторі Керра, ВО Пелих, ЮВ Тайстра - Математичні методи та фізико ..., 2017 - journals.iapmm.lviv.ua

2. A Class of General Solutions of the Maxwell Equations in the Kerr Space-Time. V Pelykh, Y Taistra - Journal of Mathematical Sciences, 2018 - search.ebscohost.com

[Cosmological aspects of a unified dark energy and dust dark matter model](#)

1. Zi-Hua Weng, "Four interactions in the sedenion curved spaces", *International Journal of Geometric Methods in Modern Physics*, 2018, <https://arxiv.org/abs/1812.02535>, *International Journal of Geometric Methods in Modern Physics*. 2018, DOI: 10.1142/S0219887819500191

Общо: 56

От тях цитати през 2013: 9

От тях цитати през 2014: 4

От тях цитати през 2015: 8

От тях цитати през 2016: 8

От тях цитати през 2017: 8

От тях цитати през 2018: 14

От тях цитати през 2019: 5

Командировки:

15.09.2014-15.10.2014 – Университетът в Аликанте, Испания

20.10.2014-21.11.2014 – Университетът Гьоте във Франкфурт, Германия /по COST Action: MP1304/

Училища:

“The many faces of compact stars”: Barcelona (Spain), September 22 – 26, 2014

“Dense matter in compact stars: Experimental and observational signatures, 21.-25-09.2015 , Bucharest, Romania

Ecole Joliot Curie 2016 “Origin of Nuclei in the Universe”“, Port Barcare, France, 25-30.09.2016

COST/NewCompStar Action "From experimental data to neutron stars", Caen, France, 9-12.05.2017